



Pressure Booster System | i-Smart Pump | Wastewater Pumps
Swimming Pool Pumps



## Vision, Mission and Values

To be the industry leader providing best-in-class fluid management solutions to individual and institutional customers and societies in our chosen markets.

We will achieve this through our dedicated efforts to enhance the welfare of all our stakeholders and by living by our values of **Commitment, Reliability** and **Innovation.** 



## **ABOUT C.R.I.**

C.R.I. ranks high among the world's fastest-growing fluid management solutions provider with a wide global presence. C.R.I. offers Pumps, Motors, IoT Driven Pumps, IoT Drives & Controllers, Pipes, Wires & Cables, Solar Pumps and Controllers to meet the pumping needs of its wide customer base.



60+ Years of Engineering Expertise



**120+** Countries have our strong global presence



Manufacturing Units around the World



30000 + Outlets to serve our Customers



9000+
Products for various applications



1500+ Service Centres to support our Customers



EEPC Award Winner for Export Excellence



8 Times
NEC Award Winner
for Energy Savings



Fludyn Advanced
Technology Centre
Recognized by Ministry of
Science & Technology, Govt. of India.

# NEXT GEN PRODUCTS

C.R.I. offers a wide range of Next Gen products for Special Applications includes Intelligence Smart Mini pumps i-Smart with 5 in 1 Features, Sewage and Drainage Pumps for waste water applications, Pressure Booster for even water pressure at home, Stainless Steel Monoblock pumps are used for Hygiene Water Supply, Circulatory pumps are used to circulate hot / cold water with adequate pressure, Swimming pool pumps are used for water filtration and recycling purposes. These pumps are combo package for customised needs and it is precisely designed for hassle free performance.

- Pressure Booster System BRISK, MHBS, TINY FORCE, i-PREZ
- Automatic Pump Controller APC
- i-SMART Self Priming Monoblock Pumps
- Stainless Steel Centrifugal Monoblock Pumpset CTSS / JTS

- Stainless Steel Self Priming Monoblock Pumpset STEELIX MINI
- Wastewater Pumps MS, MP, DL, SL, SLC, CDL, DM-CDDP, SM & SMB
- Circulatory Pumps
- Swimming Pool Pumps VISTA & NOVA



## STAINLESS STEEL CENTRIFUGAL MONOBLOCK PUMPSET

#### CTSS / JTS

C.R.I. S.S. Centrifugal Monoblock / Self-Priming Jet pumps are carefully designed to give best hydraulic efficiency and suction lift characteristics. Most modern and highly sophisticated machinery and technology are employed in the manufacture of these pumps, using quality raw material, seals and ball bearings to ensure long life. Dynamically balanced rotor ensures vibration free and noise free operation. All single phase pumps are in-built with thermal overload protector to prevent overload. High operating efficiency of these pumps result in low power consumption.

### **Applications**

- Domestic Gardening Car washing Drinking water supply
- Food Processing Industrial Water System Shallow wells.

#### **Salient Features**

- In-built thermal overload protector
- Hygienic pumping system
- Backpull-out design for easy servicing and repair






### **Specifications**

	CTSS	JTS
Power range	0.37 kW - 1.8 kW (0.5 HP - 2.5 HP)	0.37 kW - 1.1 kW (0.5 HP - 1.5 HP)
Maximum head	31 metre	45 metre
Maximum flow rate	12 m³/hr	3.75 m³/hr
Versions	1Ph - 220V / 3Ph - 380-415V, 50Hz, AC	1Ph - 220V / 3Ph - 380-415V, 50Hz, AC
Maximum suction lift	8 m	8 m

JTS



# PERFORMANCE CHART

	PUMP MODEL		DUMP MODEL MOTOR		NOME DIVID	DISCHARGE IN LPS / M³/Hr											
POWE WODEL		POWER		NOMINAL PUMP SIZE IN MM	0	0.27	0.55	0.83	1.1	1.3	1.6	1.9	2.2	2.5	2.9	3.3	
1					(Suction x Delilvery)	0	1	2	3	4	5	6	7	8	9	10	12
1	1Ø	3Ø	kW	HP	TOTAL HEAD IN METRES												
)	CTSS-5/03M	CTSS-5/03T	0.37	0.5	32 x 25	16	15.5	15	14.5	13	11.5	10.5	9				
	CTSS-6/05M	CTSS-6/05T	0.55	0.75	32 x 25	19.5	18	17	15.5	13.5	12.5	11	8				
1	CTSS-8/07M	CTSS-8/07T	0.75	1.0	32 x 25	23	22	21.5	20.5	19.5	18	17	16	14.5	13		
	CTSS-7/10M	CTSS-7/10T	1.0	1.3	32 x 25	29	28	26.5	25.5	24	22.5	20.5	18.5	15.5	11.5		
1	CTSS-8/11M	CTSS-8/11T	1.1	1.5	32 x 25	26.5	26	25.5	25	24.5	23.5	22	20.5	19.5	18	17	
	CTSS-8/15M	CTSS-8/15T	1.5	2.0	32 x 25	31	30	29	28.5	27.5	27	26	25	24.5	23	22	20.5
	CTSS-10/18M	CTSS-10/18T	1.8	2.5	32 x 25	30	29.5	29	28.5	28	27.5	27	26	25	24	23	21

	PUMP MODEL		MOTOR		NOMINAL BUMB	DISCHARGE IN LPS / M°/Hr									
	FOMF MODEL	WODEL	POWE		NOMINAL PUMP SIZE IN MM	0	0.1	0.3	0.4	0.6	0.7	0.8	1.0	1.04	
	1Ø 3Ø				(Suction x Delilvery)	0	0.5	1	1.5	2	2.5	3	3.5	3.75	
		kW H	HP	"	TOTAL HEAD IN METRES										
	JTS-2/03M JTS-2/03MA	JTS-2/03T	0.37	0.5	25 x 25	36	31	26.5	21.5	17	11	7	-	-	
	JTS-3/05M	JTS-3/05T	0.55	0.75	25 x 25	38	34	31.5	28.5	26.5	23	18.5	12.5	10	
	JTS-3/07M JTS-3/07MA	JTS-3/07T	0.75	1.0	25 x 25	40	37	34	32	29	26.5	23	7	10	
1	JTS-3/11M	JTS-3/11T	1.1	1.5	25 x 25	45	42	38.5	36	32.5	29.5	26.5	19.5	10	

JTS-2/03MA & JTS-3/07MA model are available with copper coated winding.



#### **\$ CATERS TO DIVERSE SEGMENTS \$**

WATER & WASTE WATER | SOLAR | PROCESS INDUSTRIES | SEWAGE & EFFLUENT TREATMENT PLANTS HVAC | FIRE FIGHTING | METAL & MINING | FOOD & BEVERAGE | AGRICULTURE | RESIDENTIAL





